

## Fixing on cladding

### Description:

The **SECURILISSE® evo GCE-B** is a collective system against falls from heights. It allows you to fix a guardrail on a metal covering or sandwich panels on the facade or even inside on a parapet.  
This guardrail can be straight or inclined, and can be combined with under rail and plinth.

### Details:

**Material:** Aluminium

**Finish:** Raw, anodised or powder-coated

**Versions existantes:** Straight or inclined


**Delivery:** Delivered with manuals and drawings available online at: <http://extranet.somain.fr>



### GCE-BD (straight)

The **SECURILISSE® evo GCE-BD** is used for installation on metal cladding or sandwich panels.

REF : 102578 ←



**REF : 100271**

Stainless steel support strut for corrugations in steel decks 210 to 330 mm.

**REF : 101551**

Zinc-plated strut support for corrugations in steel decks 210 to 330 mm.

**REF : 102331**

Straight upright with midrail. Its length depends on the height of the parapet.

**REF : 102329**

Straight upright without midrail. Its length depends on the height of the parapet.

## Fixing on cladding


### Description :

The **SECURILISSE® evo GCE-B** is a collective system against falls from heights. It allows you to fix a guardrail on a metal covering or sandwich panels on the facade or even inside on a parapet. This guardrail can be straight or inclined, and can be combined with under rail and plinth.

### GCE-BI (inclined)

The **SECURILISSE® evo GCE-BI** is used for installation on metal cladding or sandwich panels.

REF : 102579 ←



#### REF : 100271

Stainless steel support strut for corrugations in steel decks 210 to 330 mm.

#### REF : 101551

Zinc-plated strut support for corrugations in steel decks 210 to 330 mm.

#### REF : 102332

Inclined upright with midrail. Its length depends on the height of the parapet.

#### REF : 102330

Inclined upright without midrail. Its length depends on the height of the parapet.